



CERTIFICATE OF ANALYSIS

SAMPLE INFORMATION

Product Name	Semaglutide 5mg
Client Name/Lot No.	AvivaAmino / Lot# N/A
Sequence	H-His-Aib-Glu-Gly-Thr-Phe-Thr-Ser-Asp-Val-Ser-Ser-Tyr-Leu-Glu-Gly-Gln-Ala-Ala-Lys(C18-diacid-gamma-Glu-OEG-OEG)-Glu-Phe-Ile-Ala-Trp-Leu-Val-Arg-Gly-Arg-Gly-OH
Dissolution condition	100% H2O
Length	31AA
Molecular Weight	4113.6 g/mol

TEST RESULTS

	Specifications	Results
Strength	5.00 mg	5.85 mg
Appearance	White to off-white lyophilized powder	Conforms
Purity	≥98.0%	99.8%
pH value	6.0-8.0	7.0
Impurity	Single Impurity ≤1.0%	0.1%
	Total Impurity ≤2.0%	0.2%

TEST PARAMETERS

Pump A	0.1% trifluoroacetic in 100% water
Pump B	0.1% trifluoroacetic in 100% acetonitrile
Total Flow	1.0ml/min
Wavelength	220nm
Analytical Column Type	Agilent ZORBAX StableBond 5µm C18 (4.6*250mm*5 µm)
Dissolution Method	100% H2O
Injection Volume	30uL

CONCLUSION


One 3ml vial contained a white lyophilized powder and has an orange cap with a silver crimp.

The sample was analysed using Reverse Phase High Performance Liquid Chromatography (RP-HPLC) and determined that there is GLP-S (5.85mg) and the rest are impurities of minor significance.

CERTIFIED BY:

FY Analytics

Forever Young Analytics
02/12/2026



****Verify the validity of test results by using the above QR code or contacting support@fyanalytics.com****

Forever Young Analytics www.fyanalytics.com +16198008351 2712 Loker Ave West #1156 Carlsbad, CA 92010